

Male Circumcision at the XVIIIth International Conference on AIDS Vienna, Austria, July 18-23

Male circumcision for HIV prevention was the subject of the following presentations and sessions at the conference, which are listed by session code. [Example: MO-AA-01-01 = (Day) MO – (session type) AA – (session order) 01 – (speaker order) 01.]

The abstracts for these presentations are available at:

<http://www.aids2010.org/Default.aspx?pageId=160>.

MONDAY, 19 July

Poster Exhibition

09:00-18:30. Hall B

The authors have been invited to stand by their posters from 12:30 to 14:30 to answer questions and provide further information on their study results.

MOPE0328 The protective effect of male circumcision from HIV infection and sexually transmitted diseases: evidence from 18 demographic and health surveys in Sub-Saharan Africa.

S. Gebreselassie

MOPE0329 Use of a mixture of lignocaine and Bupivacaine versus lignocaine alone for male circumcision under local anesthesia in Rakai, Uganda

G. Kigozi, M. Wawer, D. Serwadda, S. Watya, F. Nalugoda, J. Kagayi, J. Nkale, R. Musoke, W. Sebanenya, M. Anyokorit, G. Nalwoga, G. Nakigozi, N. Kiwanuka, F. Makumbi, R.H. Gray

MOPE0330 Using a foreskin holder and surgical pen mark for improved tissue alignment prior to early infant male circumcision

D. Tomlinson

MOPE0331 Pilot study of the Shang Ring: a novel male circumcision device for HIV prevention

M. Barone, F. Ndede, P. Li, P. Masson, P. Cherutich, N. Muraguri, J. Wekesa, P. Perchal, M. Goldstein

MOPE0332 Factors associated with the circumcision decision: baseline results from the risk compensation study in Nyanza province, Kenya

N. Westercamp, K. Agot, J.O. Ndinya-Achola, R.C. Bailey

MOPE0333 Efficiency and equity in HIV prevention: a case study of a male circumcision intervention in South Africa

S. Verguet

MOPE0334 Traditional initiation and medical male circumcision collaborating:

going to the medical mountain?

D. Taljaard, D. Shabangu, A. Mkhwanazi, T. Mashigo, P. Lissouba, B. Auvert

MOPE0335 Stemming heterosexually acquired HIV infection among men in Uganda: spousal consent, religious and cost factors are key to successful implementation of male medical circumcision in the prevention of HIV/AIDS transmission

D. Businge, A. Mugume, M. Ndifuna, S. Kironde

MOPE0336 Medical male circumcision for HIV prevention in Kenya: a study of service provision and adverse events

A. Herman-Roloff, R. Bailey, K. Agot, J. Ndinya-Achola

MOPE0337 Retrospective clinical data review from a Ugandan Medical Male Circumcision programme (MMC): summary of procedures, safety and level of satisfaction

G. Mwidu, M. Breda, F. Magala, M. Webba, J. Chamberlin, N. Close

MOPE0338 When the troublemakers are involved: the role of traditional circumcision practitioners in promoting healthier circumcision programme in Timor Tengah Utara district, Indonesia

P. Lake

MOPE0339 Acceptability of medical male circumcision among men at high HIV risk in Pune, India

V.V. Kulkarni, S. Kulkarni, K. Krupp, S.Darak, J. Klausner, P. Madhivanan

MOPE0340 Reasons men seek male circumcision in Nyanza, Kenya

M. Pavin, G. Odingo, R. Were, P. Perchal

MOPE034 Comparing adverse event rates of male circumcision services performed in static and outreach public health facilities in Nyanza, Kenya

G. Odingo, P. Perchal, M. Pavin, F. Mumba, F. Ndede, R. Mbayaki, R. Were

MOPE0342 Achieving high volume efficiency and sustainability through an integrated model of delivering male circumcision services in four rural districts in Nyanza province in Kenya

R. Mbayaki, P. Perchal, A. Kombo, F. Ndede, M. Diese, K. Odera, F. Mumba, G. Odingo, R. Were, S. Beatty

MOPE0343 Cost and impact of expanding male circumcision services in Eastern and Southern Africa

E. Njeuhmeli, J. Reed, L. Bollinger, S. Forsythe, J. Stover, T. Farley, C. Hankins

MOPE0344 Surgical time and number of procedures conducted during training varies by type of adult MC procedure

T. Ashengo, K. Curran, J. Mulwanda, E. Chinkoyo

MOPE0345 Acceptability of male circumcision among men who have sex with men in urban China

J. Xu, G. Mi, Z. Dou, E. Liu, K. Rou, Z. Wu, MSM Intervention Trial Group of National Major AIDS Research Project China

MOPE0346 The acceptability of male circumcision (MC) as a measure to prevent HIV infection among men who have sex with men (MSM) in Thailand

T. Chemnasiri, R. Chuachoowong, S. Chaikummao, P. Oungprasertgul, A. Varangrat, F. van Griensven

MOPE0347 Strategic opportunities for male circumcision as HIV prevention: to cut or not to cut? That is not the only question

N. Kist, P. Irungu, S.W. Macharia, D. Omuodo, W. Waweru, S.M. Wambugu, G. Khisa, F. Muthoma, A. Wasonga, H. Dalton

MOPE0348 Implementation of male circumcision in Tanzania: an enhanced prevention strategy for HIV

A. Mwinyi, A. Cunningham, R. Mbatia, G. Antelman, H. Mutrmbei, J. Nyakina

MOPE0349 Experience of establishing medical male circumcision services in the Ugandan military population

V. Bagambe, S. Kusasira, G. Sihudhu Bwire, C. Wamundu Captain, S. Brodin

MOPE0350 Attitudes and intentions around male circumcision in a representative sample of rural Zimbabweans

W. Mavhu, K. Hatzold, R. Buzdugan, L. Langhaug, C. Benedict, O. Mundida, G. Woelk, F. Cowan

MOPE0351 A qualitative study to assess the acceptability, perceptions and knowledge of the benefits of male circumcision to reduce the risk of HIV infection among men, women and health providers in the Dominican Republic

M. Brito, R. Bailey

MOPE0352 Attitudes, beliefs and intentions around neonatal male circumcision (MC) as an HIV prevention intervention: results from a representative sample of rural Zimbabweans

K. Hatzold, W. Mavhu, R. Buzdugan, L. Langhaug, C. Benedict, J. Sherman, S. Laver, G. Woelk, F. Cowan

MOPE0353 Safety and circumcision patterns in Tanzania

W. Mwita, J. Mwanga, J. Mosha, G. Mshana, F. Mosha, J. Changgalucha

MOPE0354 Integration of male circumcision (MC) with existing HIV prevention programmes in Zimbabwe using HTC as entry point for HIV negative men to

undergo MC

K. Hatzold, R. Dhlamini, L. Masimba, G. Ncube, S. Xaba, O. Mugurungi, C. Samkange, M. Butao, S. Chiriva, B Pederson

MOPE0355 Scaling up male circumcision in a non-circumcising country: the case of Zambia

K. Sunkutu, J. Mwale, O. Babaniyi

MOPE0356 Parental and adolescent issues associated with male circumcision of adolescents in Zimbabwe

D. Kasprzyk, D. Montano, P. Chatikobo, C. Mejia, G. Chovnick, M. Tshimanga

MOPE0357 Traditional rather than medical circumcision is preferred by the amahosa tribe in South Africa

D. Mark, K. Middelkoop, L. Fleurs, R. Wood, L.-G. Bekker

MOPE0358 Clinician issues associated with recommending male circumcision to young men and parents of adolescents in Zimbabwe

D.E. Montano, D. Kasprzyk, P. Chatikobo, G. Chovnick, C. Mejia, M. Tshimanga

MOPE0359 Supply chain management system and standard list of commodities required to scale up male circumcision service for HIV prevention

E. Njeuhmeli, J. Reed, D. Rech, K. Chrouser, S. Sakallah, M. Hope, A. Thomas, N. Bock, D. Stanton, K.E. Dickson

MOPE0360 The (mis)reporting of male circumcision status by men and women in Zambia and Swaziland

N. Haberland, B. Mensch, L. Apicella, P. Hewett³, J. Manda³, S. Abbott

MOPE0362 Association of low-risk human papillomavirus infection with male circumcision in young men: results from a longitudinal study (ANRS-1265) conducted in Orange Farm, South Africa

C. Tarnaud, P. Lissouba, E. Cutler, A. Puren, D. Taljaard, B. Auvert

MOPE0491 Factors affecting uptake of male circumcision as an HIV prevention strategy among youths

M. Phiri, C. Chomba, L. Kasonka

MOPE0628 Community acceptance of male medical circumcision (MMC): a 2009 clustered cross-sectional pre- and post sensitization knowledge, attitudes, and beliefs (KAB) survey conducted in rural Uganda

M. Breda, G. Mwidu, A. Nyero, M. Millard, J. Chamberlin, N. Close

MOPE0652 Communicating HIV prevention: a study of current approaches to male circumcision and multiple concurrent partnerships in Uganda and Zambia

L. Chigona, P. Kimumwe, A. Mishra, J. Hanefeld

MOPE065 8 Perceptions and acceptability of male circumcision in South Africa: a qualitative study

M. Majaja, G. Setswe, K. Peltzer, G. Matseke, K. Phaweni

MOPE0958 Development of a male circumcision policy in a predominantly noncircumcising society: the case of Zimbabwe

D. Nyamukapa, O. Mugurungi, S. Xaba, O. Maguwu

TUESDAY, 20 July

Poster Exhibition

09:00-18:30. Hall B

The authors have been invited to stand by their posters from 12:30 to 14:30 to answer questions and provide further information on their study results.

TUPE0611 Traditional male circumcision practices among the Kurya of rural Tanzania and implications for national programmes

G. Mshana, W. Mwita, J. Mwanga, J. Mosha, F. Mosha, J. Changalucha

Oral Poster Discussions

13:00-14:00

13:10 TUPDC203 Models to increase volumes and efficiency (MOVE) in Zimbabwe's male circumcision program

K. Hatzold, C. Samkange, E. Fusire, G.S. Dendere, K. Kaseke, D. Rech, R. Dhlamini, G. Ncube, O. Mugurungi

13:15 TUPDC204 Rollout of voluntary medical male circumcision for HIV prevention in Kenya: one year and counting

P. Cherutich, N. Muraguri, K. Agot, W. Obiero, D. Omondi, O. Spala, C. Kirui, E. Owillah, M. Loolpapit, I. Oguma, C. Okal, K. Serem, J. Kioko

13:20 TUPDC205 Community monitoring of medical male circumcision for HIV prevention and its impact on women: findings from a five-country pilot in Kenya, Namibia, Swaziland, South Africa, and Uganda

C. Dlamini, J. Gatsi, J. Kehler, A. Kuteesa, M. Natukunda, C. Odada, T. Crone, C. Feuer

13:25 TUPDC206 A model for the roll-out of comprehensive adult male circumcision services in African low-income settings of high HIV incidence: the Bophelo Pele project (ANRS-12126)

P. Lissouba, B. Taljaard, D. Rech, C. Nhlapo, B. Auvert

WEDNESDAY, 21 July

Oral Abstract Session

WEAC01 Modeling HIV Epidemics

11:00-12:30, Session Room 6

Co-Chairs: Peter Ghys, Belgium; Geoffrey Garnett, United Kingdom

WEAC0101 Combination prevention to achieve significant reductions in HIV incidence: projections of the impact of microbicide and male circumcision interventions in rural Uganda

A. Cox, A. Foss, L.-A. Schafer, R. Nsubuga, P. Vickerman, R. Hayes, C. Watts, R. White

Oral Poster Discussion

WEPDC2 HIV Testing Scale-Up: Innovations and Impact

13:00-14:00, Mini Room 7

Co-Chairs: Kevin Fenton, United States; Marita Van de Laar, Sweden

WEPDC202 Opt-out HIV testing leads to nearly universal testing uptake among male circumcision clients in Tanzania

H.R. Mahler, B. Kileo, A. Hellar, S. Nyabenda, M. Plotkin

WEWS20 Beyond the Scoop: Skills Building for Journalists and CBOs/NGOs in Interpreting and Communicating Trial Results for New HIV Prevention Technologies

14:00-18:30, Mini Room 10

Facilitator: San Patten, Canada

Poster Exhibition

10:00-18:30, Hall B

The authors have been invited to stand by their posters from 12:30 to 14:30 to answer questions and provide further information on their study results.

WEPE045 3 Attitudes of young men towards male circumcision in the context of HIV/AIDS and gender-based violence

T. Letsoalo, P. Greehy, D.

WEPE0797 Engaging the private health sector in Nyanza province, Kenya, to reach men with VMMC for HIV prevention: what will it take?

L. Dulli, M. Mbondo, E. Keyes, B. Boyer, R. Homan

WEPE0864 Exploring the human resource capacity development landscape for male circumcision roll-out in four rural districts in Nyanza Province in Kenya

P. Perchal, G. Odingo, M. Pavin

Satellite Meeting

WESA18

38 million by 2015: Strategies for the Scale- Up of Male Circumcision Services

18:30-20:30, Mini Room 4

Organizers: Population Services International and FHI

THURSDAY, 22 July

Concurrent Sessions 11:00-12:30

Oral Abstract Session

THAC01 Scaling Up Male Circumcision: From Research to Practice

11:00-12:30, Session Room 4

Co-chairs: Robert Bailey, United States; David Serwadda, Uganda [TBC]

11:00 THAC0101 **A random household survey of male circumcision and HIV in Kisumu, Kenya**

M. Westercamp, K. Agot, J.O. Ndinya-Achola, R.C. Bailey

11:15 THAC0102 **Rapid results initiative for scaling up medical male circumcision in Kenya**

E. Odoyo-June, K. Agot, W. Obiero, E. Llewellyn, G. Otieno, B. Odhiambo, D. Omondi, I. Oguma, C. Kirui, E. Owilla, K. Serem, R. Bailey, P. Cherutich, Z. Mwandu, J. Kioko

11:30 THAC0103 **The cost and impact of scaling-up medical male circumcision in Uganda: an empirical analysis**

F. Wabwire-Mangen, N. Tumwesigye, D. Bagenda, A. Opio, C. Nalwadda, F. Ssengooba, J. Stover, L. Bollinger

11:45 THAC0104 **Rates of selected neonatal male circumcision-associated severe adverse events in the United States, 2007-2009**

C. El Bcheraoui, J. Greenspan, K. Kretsinger, R. Chen

12:00 THAC0105 **What is the potential impact of adult male circumcision on the HIV epidemic among men who have sex with men (MSM) in San Francisco?**

C. Wei, H. Raymond, W. McFarland, S. Buchbinder, J. Fuchs

Oral Poster Discussion

THPDC1 Risk Factors for Sexual Transmission of HIV

13:00-14:00, Mini Room 7

Co-Chairs: Nancy Padian, United States; Saidi Kapiga, Tanzania

13:25 THPDC106 **Circumcision and HIV infection among MSM in Britain: the role of the insertive role**

R. Doerner, E. McKeown, S. Nelson, N. Low, J. Anderson, J. Elford

FRIDAY, 23 July

Late Breaker Track C

11:00-12:30, Session Room 1

**FRLBC101: The protective effect of adult male circumcision against HIV acquisition is sustained for at least 54 months: results from the Kisumu, Kenya trial
oral presentation**