


# CHARACTERS


Thabo-is a 17 year old boy who cares about his well-being He believes in making informed choices, so he can stay healthy and happy. His ambition is to play for the Zebras and believes that making informed decisions will help him reach his goal. He doesn't have all the answers but he's not afraid to ask questions. Whenever he needs advice about anything, he knows his icon and friend Noah is there for him, and his questions about Safe Male Circumcision (SMC) will be the beginning of an important journey.

Noah-is Thabo's friend and icon. They've known each other for a long time and enjoy getting together to watch a game and play social soccer. Even though Noah is older than Thabo, and often acts like his older brother, Thabo is free to talk to him. He offers him advice about anything from his life ambitions to relationship problems. Thabo knows if he ever has a problem, Noah is the guy to talk to!



Masego-is a health worker trained to provide information about Safe Male Circumcision (SMC). She is also qualified to talk about family planning, sexually-transmitted infections (STIs) and other related topics. She plays an important role in the community because people know they can come to her with any questions. No matter how personal or embarrassing their questions are, Mary patiently offers information and advice.









### CIRCUMCISION OFFERED HERE






















#### REINFORMATION CIRCUMCISION

Male circumcision is the removal of a man's foreskin and is one of the oldest and most common operations in the world.

Male circumcision has recently been proven to reduce the incidence of HIV by 60% in HIV negative men. The inside of the foreskin has got HIV target cells is soft, moist and is more likely to get a tiny tear that allows HIV to enter the body more easily. Therefore removal of the foreskin reduces the chances of HIV entering the body.

After circumcision it is essential that men abstain from all sexual activity, including masturbation and sex with a condom, for at least 6 weeks until the wound heals completely.

Before the wound heals, the risk of HIV infection is higher, because HIV target cells are exposed. Therefore HIV negative men are more likely to get infected.

Male circumcision has other health benefits, such as:

- Lowers the risk of getting sexually transmitted infections and penile cancer.
- It is easier to clean
- Reduces the chances of transmitting the Human Papilloma Virus (HPV) to female partners, which causes cervical cancer
- Reduces the chances of getting urinary tract infections

As long as male circumcision is carried out by a qualified doctor in a sterile clinic, the risks are minimal.

SMC for the prevention of HIV is not recommended for HIV positive men because they are already positive. However HIV positive can have other benefits, such as hygiene, prevention of STI's and penile cancer.

Remember, circumcision gives only partial protection against HIV and circumcised men can still get HIV through unprotected sex. Therefore it is important to always abstain.



For more information or bookings call 0800 600 700 / 711600

## AFTER CIRCUMCISION

Proper care and attention can help you heal. Complete recovery after SMC takes about 6 weeks. Follow this advice and contact your doctor if you have any problem.

- Once you return home, you should rest before resuming work or school. This will help the wound heal.
- You can bath the day after surgery, but do not let the dressing get wet. It is important to keep your penis clean and dry at all times.
- You may experience a little pain or swelling around the wound. This is normal but check occasionally to make sure it does not get worse.
- Do not pull or scratch the wound while it is healing.
- Do not have sexual intercourse (even with a condom) or masturbate for at least 6 weeks. Even though the pain may have gone away, this does not mean the wound is healed.
- Once the bandage is removed and bleeding has stopped, wear loose-fitting clean underwear and change underwear on a daily basis.
- Take any medication as directed by your doctor.

How do I know if there is a problem after surgery?

Return to the hospital immediately if you have any of these symptoms after surgery:

- Bleeding that does not stop or gets worse
- Severe pain
- Difficulty urinating
- Pus coming out of the wound
- Increased swelling
- A fever within one week of surgery



#### **COMMENTS AND SUGGESTIONS**

Please answer a few basic questions below

Rating: Please rate your answers 4) Strongly Agree 2) Disagree 3) Agree 1) Strongly Disagree 1. The comic book was interesting ...... 2. The comic book was easy to understand..... 3. I learned a lot from the comic book ...... 4. Is the language used comprehensive...... 5. Is the comic book culturally sensitive..... 6. Do the pictures relate to the storyline..... 7. I would encourage a friend to read the comic book ...... 8. I find reading this comic book boring..... 9. After reading the comic book I now confidently know the facts about SMC ...... 10. I disliked the characters ...... 11. The comic book characters were interesting ...... 12. I find reading this comic book confusing ...... 13. I could easily identify with the main character ...... 14. After reading the comic book I have the confidence to discuss SMC with my friends......friends...... 15. After reading the comic book, I would be confident enough to encourage a friend to get circumcised? ...... 16. The comic book is attractive ...... **COMMENTS AND SUGGESTIONS** If you have any other comments that you feel we should know about, please feel free to write them here. 

