

Tanzania

2020

Based on most recent available data.

Version

2.01.

Output (coverage)

Outcome (service use/behaviour)

Impact

Summary

Output (coverage)		Outcome (service use/behaviour)		Impact	Summary																								
Condoms																													
Number of condoms distributed and sold / year (in millions)	33	Condom use with non-regular partners (%)	Women 15-49	28	<p>New HIV infections (ages 15+, in 1000s)</p> <table border="1"> <tr><th>Year</th><th>Infections (1000s)</th></tr> <tr><td>2010</td><td>82</td></tr> <tr><td>2011</td><td>85</td></tr> <tr><td>2012</td><td>82</td></tr> <tr><td>2013</td><td>80</td></tr> <tr><td>2014</td><td>78</td></tr> <tr><td>2015</td><td>75</td></tr> <tr><td>2016</td><td>72</td></tr> <tr><td>2017</td><td>68</td></tr> <tr><td>2018</td><td>65</td></tr> <tr><td>2019</td><td>62</td></tr> <tr><td>2020</td><td>21</td></tr> </table>	Year	Infections (1000s)	2010	82	2011	85	2012	82	2013	80	2014	78	2015	75	2016	72	2017	68	2018	65	2019	62	2020	21
Year	Infections (1000s)																												
2010	82																												
2011	85																												
2012	82																												
2013	80																												
2014	78																												
2015	75																												
2016	72																												
2017	68																												
2018	65																												
2019	62																												
2020	21																												
Number of condoms distributed and sold per man 15-64 / year	2	Men 15-49	35																										
% of condom distribution need met for men 15-64	9																												
Voluntary medical male circumcision (VMMC)																													
Number of VMMCs performed / year (in thousands)	799	% of 2020 VMMC target achieved	Men	100																									
% of annual VMMC target achieved	100	National male circumcision prevalence (%)	Men 15-24	82																									
			Men 15-49	80																									
ARV-based prevention																													
Composite PrEP score (0-10)	4	% of national PrEP need met	All pop.	id	HIV prevalence																								
Number of people who received PrEP at least once in the past 12 months	5312	% of PLHIV virally suppressed	Women 15+	78																									
% of PLHIV on ART	75	% of PLHIV virally suppressed	Men 15+	58																									
Key populations																													
<i>Sex workers (SW)</i>																													
Population size estimate for sex workers (in thousands)	155	Condom use / last paid sex (%)	Sex workers	72	Sex workers <25 years	id																							
% of SWs who received at least two HIV prevention interventions (past 3 mo)	58	Condom use / last paid sex (%)	Men 15-49	44	Sex workers all ages	15																							
Prevention strategy includes core elements of SW prevention package	> Half	% of PLHIV on ART	SWs LHIV	id																									
<i>Gay men and other men who have sex with men (MSM)</i>																													
Population size estimate for men who have sex with men (in thousands)	50	Condom use / last anal sex (%)	MSM	14	MSM <25 years	15																							
% of MSM who received at least two HIV prevention interventions (past 3 mo)	28	% of PLHIV on ART	MSM LHIV	id	MSM all ages	8																							
Prevention strategy includes core elements of MSM prevention package	> Half																												
<i>People who inject drugs (PWID)</i>																													
Population size estimate for people who inject drugs (in thousands)	36	% with safe injecting practices	PWID	84	PWID <25 years	12																							
% of PWID who received at least two HIV prevention interventions (past 3 mo)	21	% on opioid substitution therapy	PWID	24	PWID all ages	16																							
Prevention strategy includes core elements of PWID harm reduction package	Some	% of PLHIV on ART	PWID LHIV	id																									
<i>Structural barriers and enablers</i>																													
Criminalization of selling sex	Yes	% of people who avoided health care because of stigma and discrimination	Sex workers	id																									
Criminalization of same sex relations	Yes		MSM	id																									
Criminalization of drug use/consumption or possession for personal use	Yes		PWID	id																									
Adolescent girls, young women (AGYW) & partners in high-HIV incidence settings																													
% of priority locations/districts with dedicated programs for AGYW & partners	23	Condom use with non-regular partners (%)	YW 15-24	30	Young women 15-24	2.2																							
% of girls who completed lower secondary education	27		YM 15-24	34	Young men 15-24	1.2																							
Educational policies on HIV & sexuality education (secondary school)	Yes	% who had multiple sexual partners	Men 15-49	30	Adults 15-49	4.8																							
Laws requiring parental consent for adolescents to access SRH services	No	% of women experienced physical or sexual violence from husband/partner	YW 15-19	30																									
Provider-initiated condom promotion integrated into SRH services	Yes		Women 15-49	30																									
HIV testing services integrated with SRH services	Yes																												

Acronyms na ... not applicable;

PLHIV...people living with HIV; LHIV...living with HIV; YW...young women; YM...young men;

OST ... opioid substitution therapy; SRH ... sexual and reproductive health.

Very good

Good

Medium

Low

Very low

id Insufficient data